

Survey of Portion of Subdivisional Lines of

T. 3 S., R. 10 W.

Chains

the ground to bedrock, and in a mound of stone to the top, for closing cor. of secs. 5 and 6, with brass cap mkd.

T2S R10W  
S32

S 6 S 5  
T3S R10W  
C C

1933

from which

A hemlock, 14 ins. diam., bears S. 15° E., 53 lks. dist., mkd. T 3 S R 10 W S 5 C C B T.

A hemlock, 16 ins. diam., bears S. 62° W., 27 lks. dist., mkd. T 3 S R 10 W S 6 C C B T.

From this point the cor. of secs. 31 and 32 only, T. 2 S., R. 10 W., heretofore described, bears S. 88° 50' W., 16.67 chs. dist.

Land, mountainous.  
Soil, sandy loam, 3rd rate.  
Timber, hemlock, spruce, cedar, and alder.  
Undergrowth, vinemaple, salal, fern, alder, Devil's club, and wild blackberry.

To complete the survey of sec. 4, I start from the 1/4 sec. cor. of sec. 33 only, T. 2 S., R. 10 W., heretofore described, and run

N. 89° 36' E., along the N. bdy. of sec. 4.

10.74 Mid point on N. bdy. of sec. 4.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor. of sec. 4 only, with brass cap mkd.

1/4 S 4  
1933

from which

A hemlock, 25 ins. diam., bears S. 38° W., 27 mks. dist., mkd. 1/4 S 4 B T.

A hemlock, 30 ins. diam., bears S. 48° E., 63 lks. dist., mkd. 1/4 S 4 B T.

To complete the survey of sec. 5, I start from the 1/4 sec. cor. of sec. 32 only, T. 2 S., R. 10 W., heretofore described, and run

N. 89° 42' E., on the N. bdy. of sec. 5.

15.52 Mid point on the N. bdy. of sec. 5.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor. of sec. 5 only, with brass cap mkd.

1/4 S 5  
1933

from which

BOOK 3