

3N10 3N9
13 18

TILLAMOOK COUNTY REWITNESS

#103

W. 10 SEC.

COR.

1318 T 3 N R 9 & 10 W., WM.

E. 13

HISTORICAL: GLO Pg. 2 & 3 T3N10W SET POST ± 1873

Book	Pg.	MAP	B-536	B-762
4	27	A-42	F-41-22	
		A-567	SEE CORNER INVESTIGATION	
		A-1982	NOTES 7-2-74 G.W.U. & G.R.	
		B-166		


CONDITION GOOD FOUND: 1 1/2" AXLE

NOT FOUND	6" ALDER	S. 6° E. 50 LKS.	GLO Pg. 3
NOT FOUND	6" ALDER	N. 10° W. 43 LKS.	GLO Pg. 3

COMMENTS:

REWITNESS

1 SET 2" IRON PIPE WITH 3" BRASS CAP IN 10" TILE & CEMENT @ POSITION OF
FOUND 1 1/2" AXLE FD. STONE MARKED 1/4 N 45° E 0 ± 5'
86" Hat Section S. 12 FEET



NEW ACCESSORY:

RESET FOUND AXLE	NORTH	757'	TOP OF DIKE
SET 5/8" IRON ROD	EAST	1445	IN FENCE LINE

COMMENTS: THIS CORNER IS LOCATED AT THE SOUTH TOE
OF AN EAST-WEST DIKE IN A EAST-WEST-SOUTH FENCE CORNER.
REPLACED FOUND STONE WITH 1/4 ON THE BOTTOM AT APPROXIMATE
FOUND POSITION.

IN THE PRESENCE OF: GALE ARTHUR DAN MCNUTT

DATE: 3-78

PHOTO#:

* = County corner tag affixed.

TITLE

