

U. S. Department of Agriculture
FOREST SERVICE

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 6 S. R. 10 W. Will. Mer.

Closing Corner common to Sections

Corner consists of a Original Ast & iron pipe

Poor


State condition Poor 36 inches.

Dimensions above ground 36 inches.

Sketch grooves, letters, figures, or notches, on proper face of edge.

STONE CORNERS

N	W	S	E



Found of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Posts) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

All Marks rotted out

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

FS BT Raw 520
New BT

Species Alder SPRUC

Diameter 16" 55"

Bearing N. 59 E. N. 50 W.

Distance 37 LKS. 23 Feet

Do you believe this to be a Genuine Land Office Corner? Yes
If not, why? _____


3/18/59

(Signature)
(Title)

Form 8745
Rev. Mar. 1953

#1011

T. 6 S. R. 10 W. Will. Mer.
CORNERS COMMON TO SECTIONS 1011



Metal Location Poster is on a NEW BT

tree _____ inches diameter, on the _____ side of _____ from which this Corner bears _____ (Bearing) _____ (Distance) Chains.

Section line marker between Secs. _____ and _____ is on _____ on the _____ (Name of road, trail, etc.) located _____ (Name of F. N. S. from Sec. Cor.) (Set; Fillets Cor. Cross out unapplicable)

Give any further facts needed to find Corner again: