

Dependent Resurvey of Portion of Subdivisional Lines of T. 1 S., R. 9 W.

- Chains Top of ascent, slopes N. 60° E.; desc. 64 ft. over N. slope.
 69.50
 Branch, 2 lks. wide, course N. 70° E.; asc. 85 ft. over S. slope.
 71.23
 Point for the cor. of secs. 11 and 14, on the E. bdy. of sec. 15, at proportionate distance in latitude and at record distance in departure from the cor. of secs. 11 and 14, on the W. bdy. of sec. 12; there is no remaining evidence of the original corner.
 74.87
 Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 1 S R 9 W
 S 15 | $\frac{S \ 11}{S \ 14}$
 1958

from which

A hemlock, 27 ins. diam., bears N. $64\frac{1}{2}^{\circ}$ E., $20\frac{1}{2}$ lks. dist., mkd. T1S R9W S11 BT.

A fir, 37 ins. diam., bears S. $56\frac{1}{2}^{\circ}$ E., 67 lks. dist., mkd. T1S R9W S14 BT.

The corner falls at the S. side of a hemlock, 20 ins. diam.

Land, mountainous, with numerous rock outcroppings.

Soil, rocky clay and loam.

Timber, spruce, hemlock, fir, alder, cascara, maple, and cedar; undergrowth, salmonberry, huckleberry, vine maple, devil's-club, and reproduction.

From the cor. of secs. 11 and 14, on the W. bdy. of sec. 12.

S. $86^{\circ} 26'$ W., bet. secs. 11 and 14.

Descend 74 ft. over steep, rocky SW. slope, through scattering timber and dense undergrowth.

- 1.40 Rocky wet ravine, drains S. 10° W.; asc. 120 ft. over steep, rocky SE. slope.
 5.20 Top of ascent, slopes S.; desc. 40 ft. along steep S. slope.
 7.30 Ravine, drains SE.; asc. 260 ft. over steep E. slope, changing to SE. slope.
 14.30 Spur, slopes S.; desc. 312 ft. over SW. slope, changing to W. slope.
 20.49 Point for the E 1/16 sec. cor. of secs. 11 and 14.
 Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

E 1/16 | $\frac{S \ 11}{S \ 14}$
 1958

from which

A fir, 20 ins. diam., bears N. 28° E., 44 lks. dist., mkd. E 1/16 S11 BT.

A fir, 22 ins. diam., bears S. 76° E., $109\frac{1}{2}$ lks. dist., mkd. E 1/16 S14 BT.

The corner falls at the W. side of an alder, 20 ins. diam.