T. 3 S., R. 10 W., Willamette Meridian, Oregon

CHAINS

The following field notes describe the remonumentation of certain original corner points, township 3 south, range 10 west, Willamette Meridian, Oregon, as provided for in the General Special Instructions, Group Number 350, Oregon, dated May 3, 1957, "Investigation of Collateral or Physical Evidence of Corner Positions and Accessories Followed by Remonumentation of Corner Points, with New Accessories when Needed".

The remonumentation of original corner points was made at the request of the United States Forest Service, in conjunction with their Land Line Location Program.

The mean magnetic declination is 20° 30' E.

South Boundary, T. 3-S., R. 10 W., Willamette Meridian, Oregon

(Remonumenting a corner established by Henry Meldrum, U. S. Deputy Surveyor, in 1879)

The cor. of secs. 5, 6, 31, and 32, on the S. bdy. of the Tp., perpetuated and recorded by Leonard Whitmore, Deputy County Surveyor, in 1976, monumented with the original basalt stone,  $30 \times 12 \times 10$  ins., firmly set, in a mound of stone, 3 ft. base, 1 ft. high, mkd. with 5 grooves on E. and 1 groove on W. faces, from which the remains of the original bearing trees:

A sawed and decayed fir stump, size indeterminate, bears N. 72° W., 58 lks. dist., with scribe mark R visible on open blaze.

and bearing trees mkd. by Whitmore

- A fir, 12 ins. diam., bears N. 75½° E., 43 1ks. dist., with scribe marks T3S R1OW S32 BT visible on open double blaze.
- A fir, 16 ins. diam., bears S. 20° E., 36½ 1ks. dist., with scribe marks R10W BT visible on partially open blaze.
- A lodgepole pine, 10 ins. diam., bears S.  $43\frac{1}{2}^{\circ}$  W.,  $24\frac{1}{2}$  lks. dist., with scribe marks T4S R10W S6 BT visible on open double blaze.
- A fir, 11 ins. diam., bears N. 40° W., 31½ 1ks. dist., with scribe marks T3S R10W S31 BT visible on open double blaze.

At the corner point

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

Deposit corner stone and set a 5 ft. steel fence post alongside iron post.

**BOOK** 6

104